

Motion by Commissioner Whiteley, seconded by Commissioner Hollas to accept the annual road reports from each Commissioner. This motion having been put to vote prevailed the vote being unanimous.

COUNTY OF Milam §  
PRECINCT NO. 1 §

ANNUAL ROAD REPORT


- 1. Condition of each road, culvert, and bridge in the precinct:  
Attached
- 2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$787,000
- 3. Number of traffic control devices in the precinct defaced or torn down: 45
- 4. Any new road that should be opened in the precinct: No
- 5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: At least 7 bridges need to be replaced unknown cost

Submitted by the undersigned on this 29 day of August 2005.

Clifford Whiteley  
Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 29 day of August 2005.

Delois J. Obermiller  
Notary Public



My commission expires: \_\_\_\_\_

[File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year – Section 251.005, Transportation Code]

Milam County Precinct 1

Road Number	Length	Surface	Bridges	Culverts	Comments	Page - 1
100	0.2	Gravel		yes	Good	
101	1.1	Gravel		yes	Spots need gravel.	
102	2.4	Gravel		yes	Most of road needs gravel.	
103	1.6	Gravel		yes	Road needs gravel and culverts replaced	
104	7.9	Gravel and sealcoat		yes	Road needs gravel and culverts put in.	
104 Loop	0.6	Gravel			Needs spots graveled.	
104 A	0.5	Gravel			Road needs to be reworked and trimmed.	
104 B	0.3	Gravel		yes	Road needs culvert replaced.	
104 C	0.5	Gravel		yes	Good	
105	0.9	Gravel		yes	Road needs gravel and culverts replaced	
106	1.2	Gravel	yes	yes	Road needs gravel	
107	0.5	Gravel		yes	Needs spots graveled.	
108	1.1	Gravel		yes	Road needs gravel and culverts replaced	
108 A	0.7	Gravel		yes	Road needs gravel and culverts put in.	
109	1.9	Gravel		yes	Most of road needs gravel.	
110	1.3	Gravel		yes	Road needs gravel and culverts replaced	
111	0.7	Gravel			Road needs gravel and to be trimmed.	
112	4.6	Gravel		yes	Ditches need to be cleaned out.	
112 A	0.5	Gravel		yes	Good	
113	1.1	Gravel		yes	Spots need gravel.	
114	2.1	Gravel		yes	Road needs gravel and ditches cleaned out.	
115	2.8	Gravel		yes	Most of road needs gravel and replace culverts.	
115 A	0.2	Gravel				
116	6.1	Gravel	yes	yes	Road needs some gravel and culverts replaced.	
116 A	0.9	Gravel		yes	Most of road needs gravel.	
117	1.4	Gravel		yes	All of road needs gravel	
118	1.4	Gravel			Road needs some gravel.	
118 A	0.7	Gravel		yes	Good	
119	2.8	Gravel	yes	yes	Needs spots graveled.	
120	3.5	Gravel	yes	yes	Road needs gravel and bridge replaced	
122	0.8	Gravel and sealcoat		yes	Good	
123	0.5	Gravel		yes	Good	
124	0.8	Gravel			Good	
125	0.6	Sealcoat			Road needs to be recoated.	
126	0.4	Gravel			Needs spots graveled.	
131	2.8	Sealcoat and gravel			Needs spots graveled.	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 2
132	1.8	Gravel		yes	Good	
143	2.3	Seal coat		yes	Road needs to be resurfaced.	
143 A	0.4	Gravel			Whole road needs gravel.	
144	1.1	Seal coat		yes	Needs to be recoated	
144 A	0.2	Gravel		yes	Needs some Gravel.	
145	3.1	Sealcoat and gravel		yes	Road needs gravel.	
145 A	1.1	Gravel		yes	Road needs ditches cleaned and gravel.	
146	3.3	Gravel		yes	Road needs gravel.	
147	1.8	Gravel	yes	yes	Most of road needs gravel and bridge replaced.	
150	0.9	Gravel		yes	Good	
201	3.1	Gravel		yes	Good	
202	1.7	Gravel		yes	All of road needs gravel.	
202 A	0.2	Gravel			Road needs gravel	
203 Loop	6.5	Gravel and base		yes	Road needs gravel	
204	2.1	Gravel and sealcoat		yes	Part of road needs to be sealcoated.	
204 A	0.5	Gravel			Needs some gravel and resealed.	
204 B	0.5	Gravel			Road needs gravel	
205	1.4	Gravel		yes	Road needs gravel and culverts	
205 A	0.3	Gravel			Ditches need to be cleared.	
205 B	1.9	Gravel		yes	All of road needs gravel.	
206	3.2	Gravel		yes	Some of road needs gravel.	
206 A	0.5	Gravel		yes	Good	
207	1.5	Gravel		yes	Good	
208	3.4	Gravel and sealcoat		yes	Good	
208 A	0.7	Gravel			Good	
209	1.6	Gravel		yes	Road needs culverts and gravel.	
209 A	0.5	Gravel		yes	Good	
210	2.7	Gravel		yes	Needs some gravel.	
212	4.1	Gravel		yes	Most of road needs gravel and ditches cleaned.	
213	1.2	Gravel		yes	Good	
213 A	2.1	Gravel			Good	
214	1.9	Gravel		yes	Needs low-water crossing replaced.	
215	3.1	Gravel		yes	Needs spots gravelled.	
215 A	0.6	Gravel			Good	
216	1.2	Gravel			Good	
216 A	0.8	Gravel		yes	Good	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 3
217	1.4	Gravel		yes	Good	
217 A	0.2	Gravel		yes	Good	
218	2.5	Gravel	yes	yes	Road side needs to be cleaned.	
218 A	0.3	Gravel		yes	Needs some spots graveled.	
219	2.1	Gravel			Good	
220	1.3	Gravel		yes	Road needs gravel.	
221	0.7	Sealcoat and gravel		yes	Needs resealing and spots graveled	
222	1.1	Gravel		yes	Road needs culvert replaced and gravel.	
223	0.9	Sealcoat		yes	Road needs resealing	
230	4.1	Gravel	yes	yes	Road needs gravel and bridges replaced	
230 A	0.4	Gravel			Needs gravel	
232	3.4	Gravel		yes	Road needs some gravel	
232 Loop	1.6	Sealcoat and gravel		yes	Some spots need gravel	
232 A	0.6	Gravel			Needs gravel in spots.	
232 B	0.5	Gravel			Most of road needs some gravel.	
233	1.2	Gravel		yes	Good	
235	4.4	Gravel	yes	yes	Road needs spots graveled and bridge replaced.	
235 B	0.3	Gravel			Good	
235 C	0.6	Gravel		yes	Road needs gravel	
303	1.3	Sealcoat		yes	Ditches need to be cleaned.	
309	0.8	Gravel		yes	Good	
384	0.6	Gravel			Fair	
401	1.2	Gravel		yes	Road needs gravel.	
402	3.4	Sealcoat and gravel	yes	yes	Road needs rescaled and some gravel.	
402 A	0.4	Gravel		yes	Road needs gravel	
403	1.9	Gravel	Washed out	yes	Road needs bridge replaced and gravel.	
404	0.3	Gravel			Road needs some gravel.	
404 Loop	3.2	Gravel		yes	Road needs ditches cleared and gravel.	
405	3.4	Gravel	yes	yes	Road needs bridge replaced and gravel.	
406	3.8	Gravel		yes	Road needs gravel.	
407	2.9	Gravel		yes	Road needs culvert replaced and gravel.	
408	2.8	Gravel		yes	Road needs ditches cleared and gravel.	
409	1.7	Gravel		yes	Needs gravel in spots.	
410	1.6	Gravel and sealcoat		yes	Needs spots graveled.	
410 A	0.3	Gravel and sealcoat			Sealcoat needs to be redone.	
411	0.9	Gravel			Fair	

Road Number	Length	Surface	Bridges	Culverts	Comments
412	7.8	Gravel		yes	Road needs gravel in some spots.
412 A	1.2	Gravel		yes	Road needs gravel and brush trimmed.
412 B	0.2	Gravel			Good
412 C	1.3	Gravel		yes	Most of road needs gravel.
412 D	0.2	Gravel			Fair
413	1.9	Gravel		yes	Needs gravel.
414	3.9	Gravel		yes	Needs gravel in spots.
415	1.3	Gravel		yes	Needs gravel and brush trimmed.
416	1.3	Gravel		yes	Needs some gravel.
417	4.6	Gravel	yes	yes	Needs bridge replaced and gravel.
418	4.7	Gravel		yes	Needs culvert replaced and some gravel.
418 A	0.5	Gravel		yes	Needs spots graveled.
418 B	0.6	Gravel		yes	Needs gravel.
422	3.1	Gravel		yes	Needs gravel.
423	0.9	Gravel		yes	Needs gravel.
423 A	0.9	Gravel		yes	Needs spots graveled.
424	1.1	Gravel		yes	Needs some gravel.
426	1.2	Gravel		yes	Needs spots graveled.
429	2.2	Gravel	yes	yes	Needs gravel and brush trimmed.
470	0.6	Gravel		yes	Good
Capital Lane	0.9	Gravel			Needs ditches cut and some gravel.
Village Lane	0.2	Gravel			Good
Davilla Road	0.2	Gravel			Good
Alamo Road	1.2	Sealcoat		yes	Needs to be resealed.
Ben Miliam Rd.	1.1	Sealcoat		yes	Needs to be resealed.
Laughlin Road	0.6	Gravel		yes	Good
Goetz Road	0.9	Sealcoat		yes	Fair
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.
Cedar Grove	0.5	Sealcoat		yes	Fair
Brail Lane	0.6	Sealcoat		yes	Fair
Woods Lane	0.1	Sealcoat			Fair
Los Torrenos	0.9	Gravel		yes	Needs gravel in spots.
Los Ranchitos	1.5	Gravel		yes	Needs gravel in spots.
Refinery Road	0.2	Gravel			Good
TOTAL MILES	227.3				

COUNTY OF Milam

§  
§  
§

PRECINCT NO. 2

**ANNUAL ROAD REPORT**

1. Condition of each road, culvert, and bridge in the precinct:

Attached

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$750,000

3. Number of traffic control devices in the precinct defaced or torn down: 43

4. Any new road that should be opened in the precinct: No


5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 1 Bridge @ \$100,000  
40 Culverts @ \$250 each

Submitted by the undersigned on this 29 day of August, 2005.

Kenneth Hall  
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 29 day of August 2005.

Delois J. Obermiller  
Notary Public



My commission expires: \_\_\_\_\_

[File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year – Section 251.005, Transportation Code]

Road Number	Length	Surface	Culverts	Bridges	Comments
CR 132	.5	Gravel	1	1 steel	Clean Ditches Need sign (132)
133 W	8.6	Gravel	22	0	Replace culverts - gravel
133 E	1.1	Gravel	1	2 steel	Spray bar ditches
133 A	.3	Gravel	2	0	Clean ditch - west side
133 B	.1	Gravel	2	0	Clean ditch - west side
133 C	.5	Gravel	2	0	Spray ditches - gravel
134 W	2.8	Gravel	5	0	Spray ditches - gravel
134 E	1.4	Gravel	4	0	Gravel - low water crossing
134 A	.8	Gravel	3	0	Need more culverts - gravel
134 B	.3	Gravel	1	0	Clean ditches - spray bar ditches
135	3.3	Gravel	14	0	Clean ditches - need gravel
135 A	.2	Gravel	1	0	Gravel - spray ditches
136	3.5	Gravel	10	0	Little Pine Creek - Need gravel - Need sign
136 A	.4	Gravel	2	0	Replace both culverts
137	2.3	Gravel	8	0	Clean culverts - need more culverts
137 A	.3	Gravel	0	0	Good gravel
138	1.9	Gravel	5	1 wood	Bridge approach needs work
139 loop	4.6	Gravel	8	1 Steel 1 Concrete	Clean ditches - gravel needed - Flood damage

Road Number	Length	Surface	Culverts	Bridges	Comments
139	2.4	Gravel	14	0	Need gravel - clean ditches
139A	.1	Gravel	1	0	Spray ditches
140	3.1	Sealed coat	8	1 steel	Patch repair potholes
140A	.4	Gravel	1	0	Gravel
142	.8	Gravel	5	0	Gravel - clean ditches - 1 sign (142)
142A	.5	Gravel	2	0	Spot gravel
225	.7	Gravel	1	0	
226	1.6	Gravel	6	0	Need gravel - some of road oiled
226A	.3	Gravel	0	0	need gravel
227	4.4	Sealcoat 90%	24	1 Culvert	Crosses Little River - recent Sealcoat on
228	1.7	Sealcoat	4	0	1.5 mi - .5 mi gravel Patch
228A	.4	Gravel	0	0	Clean ditches
228B	.5	1/2 gravel - dirt	0	0	Widen - gravel
228C	1.2	Gravel	2	0	Gravel needed - clean ditches
229	3.3	Sealcoat and gravel	9	0	Sealcoat gravel
229A	.3	Gravel	0	0	Gravel spot
231	.8	.4 Sealcoat .4 gravel	3	0	Patch
237A	.1	Dirt	0	0	Railroad approach



Road Number	Length	Surface	Culverts	Bridges	Comments
238 Loop	.4	Gravel - ailed	0	0	Road oil
238 A	1.0	Gravel	0	0	Gravel poor - Very sandy
238 B	1.5	Gravel	3	0	Gravel added
238 C	2.3	1/2 Gravel	2	0	Need gravel
238	1.6	Gravel	6	0	Need gravel
239	2.8	Gravel	10	0	Fair gravel
240	2.7	Sealcoated	6	2 (wood)	Surface repair
240 A	.6	Gravel	2	0	Spray ditches
241	2.1	Gravel	3	0	Gravel - ditch work
241 A	1.2	Gravel - dirt	2	0	Brushcut - gravel
241 B	.5	Gravel	0	0	
242	2.0	Gravel	2	0	Spray ditches
242 A	.3	Gravel	0	0	Brush removal Penetery
244	1.4	Gravel	4	0	Under construction
244 A	.5	Dirt	0	0	Gravel
245	.9	Gravel	2	0	Need gravel
245 A	1.2	Gravel	0	1 wood	Need sign
246	.3	Gravel	0	0	

Road Number	Length	Surface	Culverts	Bridges	Comments
247	1.4	Gravel	0	0	Spray barditch - Need sign (247)
248	1.4	Gravel	4	0	Need (248) sign
249 E	3.5	Gravel	6	0	Spray grass
249 W	3.6	Gravel	7	0	Replace culverts
249A	.4	Gravel	1	0	Sign 249A
250	2.9	Gravel	7	0	Gravel
250 loop	5.8	Gravel	8	0	Spray ditches
250A	.2	Gravel	0	0	Good
251	.3	Gravel	1	0	Gravel
252	1.3	Gravel	2	0	Good gravel
253	.6	Gravel	1	0	
254 N	1.3	Gravel	3	0	Replace culvert
254 S	1.5	bed asphalt	2	0	Partly oiled
255 loop	2.5	Used asphalt .5 Gravel 2.0	5	0	Patch potholes
255 N	2.5	Gravel	3	0	Brush cut
255 E	3.3	Gravel	7	1 wood	Construction - gravel needed
255A	.2	Gravel	0	0	Sign needed (255E) Tibble grave Cemetery
255B	1.0	Gravel	2	0	Spray ditches Backwoods Rd.

Road Number	Length	Surface	Culverts	Bridges	Comments
256	.6	Gravel	3	0	Brushcut
257	1.3	Gravel	1	0	Brushcut - gravel - sign (257)
258	6.4	Gravel	8	1 wood	Shred - spot gravel
259	9.8	Gravel	19	1 Steel 6 Concr	Construction
259A	.1	Gravel	0	0	Port Sullivan Cemetery
260	.9	Gravel	3	0	Spray ditches
262	.6	Gravel	2	0	Spray Ditches
263	1.2	Gravel	5	0	Brushcut next to 259
263 Loop	.4	Gravel	1	0	Gravel
263A	.4	Gravel	2	0	Spray ditches
263 B	.2	Gravel	0	0	Spray ditches
264A	2.0	Gravel	5	0	Brushcut - gravel - sign 264A
264	4.6	Gravel	13	0	Gravel - sign (264) to Little River
265 S	.9	Gravel	3	0	Spray Ditches
265 N	.3	Gravel	1	0	Spray Ditches
265A	.8	Gravel	3	0	Construction Need gravel
266	1.1	Gravel	2	0	Brushcut end road Gravel Pit
266A	.2	Gravel	0	0	Good

Road Number	Length	Surface	Culverts	Bridges	Comments
267	6.1	Gravel	21	1 wood	Brushcut - gravel SPOTS Little Pond Creek
268	1.3	Gravel	3	0	Gravel thin
269	.9	Gravel	2	0	Clean ditches - gravel
270	5.7	Gravel	8	1 steel	Gravel - clean by culverts
270A	.3	DIRT	0	0	Gravel + 1 culvert needed
271	.6	Gravel	2	0	Brushcut - very narrow
271A	.6	Gravel	2	0	Change culvert #1 to larger
272	1.6	Gravel	2	0	Brushcut
273	7.7	Gravel	21	1 wood	Gravel - Add more culverts
274	1.0	Gravel	1	2 concrete	Clean ditches - Replace culvert at lake
274A	1.0	Gravel	3	0	Clean ditches - gravel
275	3.8	Gravel	11	0	Gravel - flood damage - sign (275)
276	3.8	Gravel	7	1 steel	SPRAY Ditches - Gravel - Flood damage
276A	1.2	Gravel	2	1 wood	SPRAY Ditches
277	.7	Gravel	3	1 cement	Bridge Construction Briary Creek
278	6.7	Gravel	12	1 cement	Bridge Construction Hog Creek
279A	1.3	Gravel	1	0	Flood damage - wing walls on culvert
279	2.1	Gravel	5	1 steel	SPRAY Ditches Hog Creek

187.9



COUNTY OF Milam §  
PRECINCT NO. 3 §

ANNUAL ROAD REPORT


1. Condition of each road, culvert, and bridge in the precinct:  
AttAched
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$750,000
3. Number of traffic control devices in the precinct defaced or torn down: 48
4. Any new road that should be opened in the precinct: No
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: AttAched

Submitted by the undersigned on this 29 day of August, 2005.

Dale Jacobs  
Commissioner, Precinct 3

Subscribed and sworn to, before me, the undersigned authority, this 29<sup>th</sup> day of August, 2005.

Delois J. Obermiller  
Notary Public



My commission expires: \_\_\_\_\_

[File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year – Section 251.005, Transportation Code]

Milam Co Pt # 3

Road Number	Length	Surface	Culverts	Bridges	Comments
234	7.1	gravel	8	1	Culverts in good shape
234L	1.3	gravel	2	0	Culverts good
236	3.9	gravel	5	0	1 18" culvert needs popl
236A	0.7	gravel	0	0	
237	4.9	gravel	5	1	ALL good - good Bridge
239	3.7	gravel	7	0	1 Bad 36" culvert
264	3.0	gravel	2	1	ALL New - good Bridge
318	1.1	gravel	4	0	Capacity Need to increase on ALL
319	2.1	gravel	2	0	1 good 1 needs popl
320	4.2	gravel	6	0	6 Need More Cap - Need 2 Bridges
321	0.8	gravel	0	0	
322	9.5	gravel/gravel	20	0	10 Need popl or additional cap
322A	1.0	PAVED	2	6	2 New
323	4.1	gravel	11	0	9 New 2 Fair
324	1.2	gravel	3	0	3 New
325	2.7	gravel	7	0	ALL Need More cap
326	3.1	gravel	7	0	2 New 5 Need pop, 2 spot without Need
327	8.1	gravel	6	1	6 New 4 spots without Need

Need

Milam Co Pct 3

385

Road Number	Length	Surface	Culverts	Bridges	Comments
327A	0.5	gravel	2	0	New
328	6.1	gravel	9	0	6 New / 3 Need Repl / 3 spots without Need
329	2.4	95% pave / 5 gravel	10	0	- ALL New
330	7.3	gravel	10	0	5 New / 5 Fair
331	2.0	gravel	4	0	ALL FAIR
331A	2.0	gravel	3	0	3 good Ahead / spot without Needs
331B	1.0	gravel	2	0	2 good 1 spot without Needs
331C	0.7	gravel	0	0	
333	1.9	50% pave / gravel	3	0	2 New / 1 Need Repl
334	4.2	50% pave / gravel	9	0	5 good 4 Need Repl
335	1.2	Pave	0	0	
336	2.3	Pave/gravel	4	0	New culverts
336A	0.3	gravel	0	0	
337	2.0	gravel	4	0	ALL good
338	1.1	gravel	1	0	good
339	4.2	gravel	4	0	ALL good
340	2.6	gravel	4	0	ALL good
340A	1.1	gravel	3	0	ALL Fair



William Co Pt 3

485

Road Number	Length	Surface	Culverts	Bridges	Comments
341	9.0	gravel	1	0	good
342	15.1		17	0	10 New 7 Fair to Poor
343	5.1		8	1	6 good 2 Need Repl New Bridge
344L	3.4		8	0	6 good 2 Fair
346	2.6		2	0	good
347L	2.6		4	0	3 good 1 Need Repl
348L	2.2		4	0	4 <del>As</del> 3 good 1 Need Repl
349	0.4		0	0	—
350	1.2		1	0	good culvert
351	2.0		2	0	good culvert
352	1.0		1	0	—
353	12.3		15	1	14 good / 1 Need Repl
355A	0.3		0	0	—
355B	0.3		0	0	—
355L	2.8		4	0	good culverts
356	1.7		2	0	good culverts
357	1.2		1	0	Needs to be Repl
357A	0.4	paved	0	0	—

William Co Pt 3

Road Number	Length	Surface	Culverts	Bridges	Comments
358	8.1	gravel/pave	9	2	Culverts good / Both Bridges are New
359	2.3	gravel	3	0	Culverts Fair
360	0.9	gravel	3	0	Culverts New
362					
364	7.2	gravel	8	0	Culverts good
372	1.0	gravel	2	0	Culverts good
373	1.0	gravel	0	8	-
374	1.2	gravel	2	0	Need Repl
375	0.9	gravel	1	0	good
378	0.4	<del>pave</del> gravel	0	0	
379	0.5	gravel	0	0	
380	1.0	gravel	4	0	All New Culverts
381	0.8	gravel	1	0	Fair cul
383	0.6	gravel	1	0	Fair cul
CHAMPION SWAP	0.7	gravel	1	0	New
Silver Springs	1.3	gravel	3	0	All Fair

COUNTY OF Milam §  
PRECINCT NO. 4 §

ANNUAL ROAD REPORT


1. Condition of each road, culvert, and bridge in the precinct:  
List Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$700,000
3. Number of traffic control devices in the precinct defaced or torn down: 60
4. Any new road that should be opened in the precinct: None
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: Bridge at San Gabriel River ON CR 428, Brushy Creek Relief Bridges on CR 440 (\$200,000)

Submitted by the undersigned on this 29<sup>th</sup> day of August, 2005

Burke Bancewicz  
Commissioner, Precinct 4

Subscribed and sworn to, before me, the undersigned authority, this 29<sup>th</sup> day of August, 2005.

Delois J. Obermiller  
Notary Public



My commission expires: \_\_\_\_\_

[File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year – Section 251.005, Transportation Code]

COUNTY RD. #	LENGTH OF ROAD (MILES)	ROAD SURFACE	COMMENTS
302	3.1	CHIP SEAL	
302-A	0.2	CHIP SEAL	
304	4.85	GRAVEL	
304-A	0.6	GRAVEL	
305	1.8	CHIP SEAL	
306	3.2	CHIP SEAL	
307	1.1	CHIP SEAL & GRAVEL	0.5 MILE CHIP SEAL
308	0.5	CHIP SEAL	
308-A	0.7	CHIP SEAL	
310	0.5	GRAVEL	
311	0.3	CHIP SEAL	
312	1.7	GRAVEL & SLAG	
313	6.5	CHIP SEAL & GRAVEL	1 MILE CHIP SEAL
313-A	3.6	GRAVEL & SLAG	
313-B	1.0	SLAG	
313-C	0.3	SLAG	
314	9.8	CHIP SEAL & GRAVEL	2 MILES CHIP SEAL
315	2.0	GRAVEL	
316	2.4	GRAVEL	
316-A	1.5	GRAVEL	
317	0.8	GRAVEL	
418	2.8	GRAVEL	
418-C	0.8	GRAVEL	
419	1.4	GRAVEL	
420	1.6	GRAVEL	
421	3.7	GRAVEL	
421-A	0.2	CHIP SEAL	
422	1.1	GRAVEL	

COUNTY RD. #	LENGTH OF ROAD (MILES)	ROAD SURFACE	COMMENTS
428	2.8	CHIP SEAL & GRAVEL	COST TO REPLACE BRIDGE \$100,000
429	6.0	GRAVEL	BRIDGE BEING REPLACED
430	3.8	GRAVEL	
431	0.85	GRAVEL	
432	4.3	GRAVEL	
434	6.5	CHIP SEAL	
436	0.4	GRAVEL	
438	1.9	GRAVEL	
437	2.0	CHIP SEAL	
439	2.4	GRAVEL	
440	5.4	GRAVEL	\$100,000 TO REPLACE BRIDGES
442	2.0	GRAVEL	
443	8.5	CHIP SEAL & GRAVEL	3.5 MILES CHIP SEAL
446	8.1	CHIP SEAL	
448	8.5	CHIP SEAL & GRAVEL	CLASS-ONE ROAD 4.0 MILES CHIP SEAL
448-A	0.5	GRAVEL	
449	4.0	CHIP SEAL & GRAVEL	1.0 MILES CHIP SEAL
450	4.0	CHIP SEAL	
451	0.5	GRAVEL	
152	0.7	GRAVEL	
154	4.7	CHIP SEAL & GRAVEL	2.7 MILES CHIP SEAL
155	10.6	CHIP SEAL	
156	2.1	GRAVEL	
157	4.3	CHIP SEAL & GRAVEL	1.0 MILES CHIP SEAL
158	2.2	CHIP SEAL	
158-A	2.4	GRAVEL	
159	1.7	GRAVEL	
60	1.9	GRAVEL	

COUNTY ROAD #	LENGTH OF ROAD (MILES)	ROAD SURFACE	COMMENTS
461	0.4	CHIP SEAL	
470	0.35	GRAVEL	
GRIFFITH LANE	0.5	GRAVEL	
BUSH RD.	0.9	CHIP SEAL	
PERRY LANE	1.1	GRAVEL	
TUMLEY LANE	1.2	GRAVEL	
JOST LANE	0.6	GRAVEL	
CHAMPIONS DRIVE	0.55	CHIP SEAL	
PRAESSEL ADDITION	2.45	CHIP SEAL	
RUSSEL ADDITION	0.4	CHIP SEAL	
CYPRESS TRAIL	2.2	CHIP SEAL	
WESTERN HILLS ADDITION	1.5	CHIP SEAL	
OAK PARK ADDITION	1.45	CHIP SEAL	
ROCKDALE WEST	0.7	CHIP SEAL	
BOYD ADDITION	0.2	CHIP SEAL	
ELM CREEK ESTATES	0.85	CHIP SEAL	NEEDS NEW SURFACE

176.45 MILES

72.7 MILES CHIP SEALED