

Milam County Precinct 1

2007 Road Report

COUNTY OF Milam

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road culvert, and bridge in the precinct:

*see attached reports*

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:

*Approximately \$ 780,504.00*

3. Number of traffic control devices in the precinct defaced or torn down: *About 40%*

4. Any new roads that should be opened in the precinct: *None at this time*


5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: *5 bridges need to be replaced and several culverts need to be replaced and at this time no estimates have been done.*

Submitted by the undersigned on this \_\_\_\_\_ day of \_\_\_\_\_

*Stephen Whiteley*  
Commissioner, Precinct

Subscribed and sworn to, before me, the undersigned authority, this 24 day of April

*Doug Bryan*  
Notary Public



My commission expires: \_\_\_\_\_

(File in minutes and submit to grand jury with a copy of any road work contracts for next year

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 1
100	0.2	Gravel		yes	Good	
101	1.1	Gravel		yes	Spots need gravel.	
102	2.4	Gravel		yes	Most of road needs gravel.	
103	1.6	Gravel		yes	Road needs gravel and culverts replaced	
104	7.9	Gravel and sealcoat		yes	Good	
104 Loop	0.8	Gravel			Good	
104 A	0.5	Gravel			Road needs to be reworked and trimmed.	
104 B	0.3	Gravel		yes	Road needs culvert replaced.	
104 C	0.5	Gravel		yes	Good	
105	0.9	Gravel		yes	Road needs gravel and culverts replaced	
106	1.2	Gravel	yes	yes	Good	
107	0.5	Gravel		yes	Good	
108	1.1	Gravel		yes	Good	
108 A	0.7	Gravel		yes	Road needs gravel and culverts put in.	
109	1.9	Gravel		yes	Most of road needs gravel.	
110	1.3	Gravel		yes	Road needs gravel and culverts replaced	
111	0.7	Gravel			Road needs gravel and to be trimmed.	
112	4.8	Gravel		yes	Ditches need to be cleaned out and road graveled.	
112 A	0.5	Gravel		yes	Good	
113	1.1	Gravel		yes	Spots need gravel.	
114	2.1	Gravel		yes	Road needs gravel and ditches cleaned out.	
115	2.8	Gravel		yes	Most of road needs gravel and replace culverts.	
115 A	0.2	Gravel				
116	6.1	Gravel	yes	yes	Road needs some gravel and culverts replaced.	
116 A	0.9	Gravel		yes	Good	
117	1.4	Gravel		yes	All of road needs gravel	
118	1.4	Gravel			Road needs some gravel.	
118 A	0.7	Gravel		yes	Good	
119	2.8	Gravel	yes	yes	Good	
120	3.5	Gravel	yes	yes	Road needs gravel and bridge replaced	
122	0.8	Gravel and sealcoat		yes	Good	
123	0.5	Gravel		yes	Good	
124	0.8	Gravel			Good	
125	0.6	Sealcoat			Road needs to be recoated.	
126	0.4	Gravel			Needs spots graveled.	
131	2.8	Sealcoat and gravel			Needs spots graveled.	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 2
132	1.8	Gravel		yes	Road needs spots graveled and bridge replaced.	
143	2.3	Seal coat		yes	Road needs to be resurfaced.	
143 A	0.4	Gravel			Good	
144	1.1	Seal coat		yes	Needs to be recoated	
144 A	0.2	Gravel		yes	Needs some Gravel.	
145	3.1	Sealcoat and gravel		yes	Road needs gravel.	
145 A	1.1	Gravel		yes	Road needs ditches cleaned and gravel.	
146	3.3	Gravel		yes	Good	
147	1.8	Gravel	yes	yes	Most of road needs gravel and bridge replaced.	
150	0.9	Gravel			Good	
201	3.1	Gravel		yes	Good	
202	1.7	Gravel		yes	All of road needs gravel.	
202 A	0.2	Gravel			Road needs gravel	
203 Loop	6.5	Gravel and base		yes	Part of road needs to be sealcoated.	
204	2.1	Gravel and sealcoat		yes	Needs some gravel and resealed.	
204 A	0.5	Gravel			Road needs gravel	
204 B	0.5	Gravel			Road needs gravel and brush trimmed.	
205	1.4	Gravel		yes	Road needs gravel and culverts	
205 A	0.3	Gravel			Ditches need to be cleared.	
205 B	1.9	Gravel		yes	All of road needs gravel.	
206	3.2	Gravel		yes	Some of road needs gravel.	
206 A	0.5	Gravel		yes	Good	
207	1.5	Gravel		yes	Good	
208	3.4	Gravel and sealcoat		yes	Sealcoat needs to be redone and brush trimmed.	
208 A	0.7	Gravel			Good	
209	1.8	Gravel		yes	Road needs culverts and gravel.	
209 A	0.5	Gravel		yes	Good	
210	2.7	Gravel		yes	Needs some gravel.	
212	4.1	Gravel		yes	Good	
213	1.2	Gravel		yes	Needs gravel.	
213 A	2.1	Gravel			Good	
214	1.9	Gravel		yes	Needs low-water crossing replaced.	
215	3.1	Gravel		yes	Needs spots graveled.	
215 A	0.6	Gravel			Good	
216	1.2	Gravel			Good	
216 A	0.8	Gravel		yes	Good	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 3
217	1.4	Gravel		yes	Good	
217 A	0.2	Gravel			Good	
218	2.5	Gravel	yes	yes	Ditches need cleaning, culverts installed, & gravel	
218 A	0.3	Gravel		yes	Needs some spots graveled.	
219	2.1	Gravel			Good	
220	1.3	Gravel		yes	Road needs gravel.	
221	0.7	Sealcoat and gravel		yes	Needs resealing and spots graveled	
222	1.1	Gravel		yes	Road needs culvert replaced and gravel.	
223	0.9	Sealcoat		yes	Road needs resealing	
230	4.1	Gravel	yes	yes	Road needs gravel and bridges replaced	
230 A	0.4	Gravel			Needs gravel	
232	3.4	Gravel		yes	Good	
232 Loop	1.8	Sealcoat and gravel		yes	Good	
232 A	0.6	Gravel			Needs gravel in spots.	
232 B	0.5	Gravel			Most of road needs some gravel.	
233	1.2	Gravel		yes	Needs gravel	
235	4.4	Gravel	yes	yes	Good	
235 B	0.3	Gravel			Good	
235 C	0.6	Gravel		yes	Good	
303	1.3	Sealcoat		yes	Ditches need to be cleaned.	
309	0.8	Gravel		yes	Good	
384	0.6	Gravel			Fair	
401	1.2	Gravel		yes	Road needs gravel.	
402	3.4	Sealcoat and gravel	yes	yes	Road needs to be resealed.	
402 A	0.4	Gravel		yes	Road needs gravel	
403	1.9	Gravel	Washed out	yes	Road needs bridge replaced and gravel.	
404	0.3	Gravel			Road needs some gravel.	
404 Loop	3.2	Gravel		yes	Good	
405	3.4	Gravel	yes	yes	Bridge needs to be replaced	
406	3.8	Gravel		yes	Good	
407	2.9	Gravel		yes	Road needs culvert replaced and gravel.	
408	2.8	Gravel		yes	Road needs ditches cleared and gravel.	
409	1.7	Gravel		yes	Needs gravel in spots.	
410	1.6	Gravel and sealcoat		yes	Needs spots graveled.	
410 A	0.3	Gravel and sealcoat			Sealcoat needs to be redone.	
411	0.9	Gravel			Fair	

Road Number	Length	Surface	Bridges	Culverts	Comments	Page 4
412	7.8	Gravel		yes	Road needs gravel in some spots.	
412 A	1.2	Gravel		yes	Road needs gravel and brush trimmed.	
412 B	0.2	Gravel			Good	
412 C	1.3	Gravel		yes	Most of road needs gravel.	
412 D	0.2	Gravel			Fair	
413	1.9	Gravel		yes	Good	
414	3.9	Gravel		yes	Needs culvert replaced and some gravel.	
415	1.3	Gravel		yes	Needs gravel and brush trimmed.	
416	1.3	Gravel		yes	Needs some gravel.	
417	4.8	Gravel	yes	yes	Needs bridge replaced and gravel.	
418	4.7	Gravel		yes	Needs culvert replaced and some gravel.	
418 A	0.5	Gravel		yes	Needs spots graveled.	
418 B	0.6	Gravel		yes	Needs gravel.	
422	3.1	Gravel		yes	Good	
423	0.9	Gravel		yes	Needs gravel.	
423 A	0.9	Gravel		yes	Needs spots graveled.	
424	1.1	Gravel		yes	Needs some gravel.	
426	1.2	Gravel		yes	Needs spots graveled.	
429	2.2	Gravel	yes	yes	Needs gravel and brush trimmed.	
470	0.6	Gravel		yes	Good	
Capital Lane	0.9	Gravel			Needs ditches cut and some gravel.	
Village Lane	0.2	Gravel			Good	
Davilla Road	0.2	Gravel			Good	
Alamo Road	1.2	Sealcoat		yes	Needs to be resealed.	
Ben Milam Rd.	1.1	Sealcoat		yes	Needs to be resealed.	
Laughlin Road	0.6	Gravel		yes	Good	
Goetz Road	0.9	Sealcoat		yes	Fair	
Goetz Road A	0.1	Gravel		yes	Road needs to be sealcoated.	
Cedar Grove	0.5	Sealcoat		yes	Fair	
Brair Lane	0.6	Sealcoat		yes	Fair	
Woods Lane	0.1	Sealcoat			Fair	
Los Torrenos	0.9	Gravel		yes	Good	
Los Ranchitos	1.5	Gravel		yes	Good	
Refinery Road	0.2	Gravel			Good	
TOTAL MILES	227.3					

Road Report  
The Honorable Kenneth Hollas, Commissioner

COUNTY OF Milam  
PRECINCT NO. 2

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct:  
Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:  
\$ 700,000
3. Number of traffic control devices in the precinct defaced or torn down: 5070
4. Any new roads that should be opened in the precinct: No
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 1 Bridge @ \$100,000  
50 culverts @ \$25,000.

Submitted by the undersigned on this 8 day of September, 2006.  
Arnoth Hollas  
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 8<sup>th</sup> day of September, 2006.  
Judy Kopriwa  
Notary Public  
Judy Kopriwa  
My commission expires: 9/22/107



(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year- Section 231.005, Transportation Code)

Road Number	Length	Surface	Bridges	Culverts	Comments
132	0.5	Gravel	1 Steel		1 Needs gravel
133W.	8.6	Gravel		22	Needs 6 culverts replaced, Replaced 2 Applied 1838 yds gravel
133E.	1.1	Gravel	2 Steel		1 Needs gravel
133A	0.3	Gravel		2	Applied 308 yds gravel
133B	0.1	Gravel		2	Needs gravel
133C	0.5	Gravel		2	Needs gravel
134W.	2.8	Gravel		5	Needs gravel
134E.	1.4	Gravel		4	Ditches need cleaning and gravel
134A	0.8	Gravel		3	Replaced 2 culverts
134B	0.3	Gravel		1	Clean and spray ditches
135	3.3	Gravel		14	Clean ditches, needs gravel. Applied 180 yds gravel
135A	0.2	Gravel		1	Needs gravel. Replaced 1 culvert
136	3.5	Gravel		10	Needs steel bridge over Little Pond Creek, Applied 246 yds gravel
136A	0.4	Gravel		2	Needs 2 culverts replaced
137	2.3	Gravel		8	Needs culvert & gravel. Applied 396 yds gravel
137A	0.3	Gravel			Good
138	1.9	Gravel	1 Wood		Need ditches cleaned & gravel
139 Loop	4.6	Gravel		8	Need ditches cleaned & gravel
139	2.4	Gravel		14	Need ditches cleaned & gravel
139A	0.1	Gravel		1	Spray ditches
140	3.1	Sealcoat	1 Steel&concrete	8	Need reworked & sealcoat
140A	0.4	Gravel		1	Needs gravel
142	0.5	Gravel		5	Needs gravel
142A	0.5	Gravel		2	Spot gravel
225	0.7	Gravel		1	Needs ditches cleaned & gravel
228	1.8	Gravel		6	Need ditches cleaned & gravel
228A	0.3	Gravel			Needs gravel
227	4.4	Sealcoat	1Steel&concrete	24	Needs resealed, replaced 3 culverts
228	1.7	Sealcoat		4	Need resealed, applied hot mix to .5 mile
228A	0.4	Gravel			Needs gravel
228B	0.5	Gravel			Needs gravel, installed 1 culvert
228C	1.2	Gravel		2	Applied 684 yds gravel
229	3.3	Sealcoat2.0 Gravel1.3		9	Needs resealed, applied 2334 yds gravel
229A	0.3	Gravel			Applied 252 yds gravel
231	0.8	Sealcoat .4 Gravel .4		3	Needs patching & gravel
237A	0.1	Sand			Railroad approach

Road Number	Length	Surface	Bridges	Culverts	Comments
238 Loop	0.4	G			Page 2
238A	1.1	Gravel			Needs gravel
238B	0.5	Gravel		3	Applied 1176 yds gravel
238C	2.3	Gravel		2	Applied 468 yds gravel
238	1.6	Gravel		2	Needs gravel
240	2.9	Sealcoat	1 Steel & concrete	6	Needs gravel
240A	0.5	Gravel		6	Applied 3078 yds millings from state& 2520 yds gravel
242	1.9	Gravel		2	Needs gravel
242A	0.3	Gravel		2	Installed 48"x67" steel culvert & graveled road, 4520 yds gravel
244	1.4	Gravel		1	36 yds gravel Cemetary
244A	0.5	Sand		4	Installed 36"x65" steel culvert& applied 522 yds gravel
245	0.9	Gravel			Needs widening& gravel
245A	0.2	Gravel	1 Wood	2	Needs gravel, dead end road, 156 yds gravel applied
246	0.3	Gravel			Needs gravel, dead end road, 156 yds gravel applied
247	1.4	Gravel			Fair, Dead end road
248	1.4	Gravel			Needs gravel
249	7.1	Gravel		4	Needs gravel
249A	0.4	Gravel		13	Needs culverts replaced & gravel
250	2.9	Gravel		1	Needs gravel
250 Loop	5.8	Gravel		7	Needs gravel
250A	0.2	Gravel		6	Needs gravel
251	0.3	Gravel			Needs gravel
252	1.3	Gravel		2	Applied 378 yds gravel
253	0.6	Gravel		1	Good
254N	1.3	Gravel		3	Needs widening & culvert
254S	1.5	Gravel		2	Commerical Rock Hauling Road
255Loop	2.5	Gravel		5	Fair, applied 888 yds gravel
255N	2.5	Gravel		3	Needs gravel, cleared by Fulton Property
255E	3.3	Gravel		7	Applied 1422 yds gravel
255A	0.2	Gravel			Pebble Grove Cemetary
255B	0.1	Gravel			Needs gravel
256	0.6	Gravel		2	Cut Brush
257	1.3	Gravel		1	Needs gravel, cut brush
258	6.4	Gravel	1 Wood	6	Applied 48 yds gravel
259	9.8	Gravel	1 Steel&concrete 6 cement culverts	17	Needs gravel, applied 216 yds gravel

Road Number	Length	Surface	Bridges	Culverts	Page 3	Comments
259A	8.1	Gravel				Port Sullivan Cemetary
260	0.9	Gravel			3	Needs gravel
262	0.6	Gravel			2	Needs widening & gravel
263	1.2	Gravel			5	Needs gravel
263 Loop	0.4	Gravel			1	Needs gravel
263A	0.4	Gravel			2	Brush cut
263B	0.2	Gravel				Brush cut
264A	2.1	Gravel			5	Needs gravel
264	4.6	Gravel			13	Applied 2202 yds gravel
265S	0.9	Gravel			3	Needs gravel & ditches cleaned
265N	0.3	Gravel			1	Fair
265A	0.8	Gravel			3	Needs gravel, dead end road, 156 yds gravel applied
266	1.1	Gravel			2	Fair, brush cut, dead end
266A	0.2	Gravel				Good
267	6.1	Gravel			21	Needs brush cut & gravel, applied 492 yds gravel
268	1.3	Gravel			3	Needs gravel
269	0.9	Gravel			2	Clean ditches & gravel
270	5.7	Gravel	1 Steel		8	Clean ditches & gravel
270A	0.3	Gravel				Needs gravel
271	0.6	Gravel				Needs brush cut, very narrow
271A	0.6	Gravel			3	Applied 1264 yds gravel
272	1.6	Gravel			2	Needs brush cut
273	4.1	Gravel			6	Applied 414 yds gravel
274	0.9	Gravel			1	Needs gravel
274A	1.1	Gravel			3	Needs gravel
275	3.8	Gravel			11	Needs gravel Applied 36 yds.
276	3.8	Gravel	1 Wood		7	Needs gravel
276A	1.1	Gravel			2	Fair, brush cut, dead end
277	0.7	Gravel	1 Steel & concrete		3	Briary Creek
278	6.7	Gravel	New Concrete		12	Hog Creek
278A	2.1	Gravel		1 Steel		Need Head wall work
279	2.6	Gravel	1 Steel		5	Brush cut & gravel. Applied 594 yds gravel
Back Woods Road	1.1	Gravel				Needs gravel

Road Number	Length	Surface	Bridges	Culverts	Page 4	Comments
Rockdale						
300	1.3	Gravel				
301	1.1	Gravel				
303A	1.1	Paved		1		
303B	0.3	Gravel				
333	0.9	Gravel			1	Belton Street. Sealcoated 8-06
335	3.3	Sealcoat 1.4 Gravel 1.9			3	Sandy

COUNTY OF Milam  
 PRECINCT NO. 3 \$ \$

ANNUAL ROAD REPORT

1. Condition of each road, culvert and bridge in the precinct:  
Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$850,000
3. Number of traffic control devices in the precinct defaced or torn down: 60
4. Any new road that should be opened in the precinct: NO
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: Attached

Submitted by the undersigned on this 11 day of September 2005

Paula Acers  
 Commissioner, Precinct 3

Subscribed and sworn to before me, the undersigned authority, this 11th day of September 2005.

Judy Koprin  
 Notary Public



Judy Koprin  
 My commission expires: 9/22/2007

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year—Section 251.005, Trans. Code)

2085

Milam Co Prec #3

Road Number	Length	Surface	Culverts	Bridges	Comments
234	7.1	gravel	8	2	Culverts in good shape / Both are good
234C	1.3	gravel	2	0	Bridges / 1.5 Miles of Pavement 2006 Culverts good - gravel good
236	3.9	gravel	5	0	1 18" culvert needs repl/this culvert
236A	0.7	gravel	0	0	was replaced with 2 ea 54" culvert Needs gravel & one small culvert
237	4.9	gravel	5	1	All good - good Bridge / New gravel
239	3.7	gravel	7	0	1 Bad 36" culvert / good gravel
264	3.0	gravel	2	1	All New - good Bridge / 1/2 mile
318	7.1	gravel	4	0	Washed Road Front 2004 Capacity Need to increased on All culverts
319	2.1	gravel	2	0	2 good / 1 needs repl
320	4.2	gravel	6	0	6 Need More Cap - Need 2 Bridges
321	0.8	gravel	0	0	Wine Culverts are New Low traffic -
322	9.5	pave/gravel	20	0	4 Need repl or Additional cap
322A	1.0	PAVED	2	0	2 New
323	4.1	gravel	8	0	4 New 2 Falls All in good shape
324	1.2	gravel	3	0	3 New
325	2.7	gravel	7	0	All Need More cap
326	3.1	gravel	7	0	4 New 3 Need repl, 2 spot without need
327	8.1	gravel	6	1	6 New 4 spots without Need

## Milam Co Pct 3

Road Number	Length	Surface	Culverts	Bridges	Comments
327A	0.5	gravel	2	0	New good gravel
328	6.1	gravel	9	0	6 New / 3 Need Repl / 3 spots without Need
329	2.4	95% pave / 5% gravel	10	0	- All New
330	7.3	gravel	10	0	6 New / 4 Fair
331	2.0	gravel	4	0	All Fair
331A	2.0	gravel	3	0	3 good Need 1 spot without Needs
331B	1.0	gravel	2	0	2 good 1 spot without Needs
331C	0.7	gravel	0	0	
333	1.9	50% pave / gravel	3	0	2 new / 1 Need Repl
334	4.2	50% pave / gravel	9	0	7 good 2 Need Repl
335	1.2	Pave	0	0	
336	2.3	Pave / gravel	4	0	New culverts
336A	0.3	gravel	0	0	
337	2.0	gravel	4	0	All good
338	1.1	gravel	1	0	good culvert / 1/6 mile Needs drainage work & gravel
339	4.2	gravel	4	0	All good - good gravel
340	2.6	gravel	4	0	All good
340A	1.1	gravel	3	0	All <del>good</del> New

## Milam Co Pct 3

Road Number	Length	Surface	Culverts	Bridges	Comments
341	1.0	gravel	1	0	good at low water crossing
342	15.1		17	0	12 New 50 Fair to Poor
343	5.1		8	1	8 good 2 need Repl New Bridge
344L	3.4		8	0	8 good 2 Fair
346	2.6		2	0	good
347L	2.6		4	0	3 good 1 Need Repl
348L	2.2		4	0	3 good 1 Need Repl
349	0.4		0	0	-
350	1.2		1	0	good culvert
351	2.0		2	0	good culvert
352	1.0		1	0	
353	12.3		15	1	15 good / 1 need Repl New Bridge
355A	0.3		0	0	-
355B	0.3		0	0	-
355L	2.8		4		good culverts
356	1.7		2		good culverts
357	1.2		2		Needs to be Repl good
357A	0.4	paved	0		-

Milam Co Pct 3

Road Number	Length	Surface	Culverts	Bridges	Comments
358	8.1	gravel/Asph	9	2	Culverts good / Both Bridges are New
359	2.3	gravel	3	0	Culverts Fair
360	0.9	gravel	3	0	Culverts New
367	0.6	gravel	1	0	New / New in Pct # 2
364	7.2	gravel	8	0	Culverts good
372	1.0	gravel	2	0	Culverts good
373	1.0	gravel	0	0	-
374	1.2	gravel	2	0	Need Aspl
375	0.9	gravel	1	0	good
378	0.4	<del>gravel</del>	0	0	
379	0.5	gravel	0	0	
380	1.0	gravel	4	0	All New Culverts
381	0.8	gravel	1	0	Fair Cul
383	0.6	gravel	1	0	Fair Cul
71000 111000 Springs	0.7	gravel	1	0	New
	1.3	gravel	3	0	All Fair

04/14/03 13:15 293059587 TXDOT -TPP @002  
 Transp Number - LRP/rev 251

(3) use any necessary material most convenient to build, repair, or maintain public roads, regardless of the location or extent of the material.

(b) The court may enter any necessary order for the use of inmates of the county jails to work on the county roads or to build bridges.

Acts 1995, 74th Leg., ch. 165, § 1, eff. Sept. 1, 1995.

§ 251.004. Commissioners as Road Supervisors  
 (a) The county commissioners are the supervisors of the public roads in a county unless the county adopts an optional system of administering the county roads under Chapter 252.

(b) A county commissioner serving as a road supervisor shall supervise the public roads in the commissioner's precinct at least once each month.

Acts 1995, 74th Leg., ch. 165, § 1, eff. Sept. 1, 1995.

§ 251.005. Commissioner's Road Report

(a) A county commissioner serving as a road supervisor shall make a sworn annual report during the ninth month of the county fiscal year on a form approved by the commissioners court showing:

(1) the condition of each road or part of a road and of each culvert and bridge in the commissioner's precinct;

(2) the amount of money reasonably necessary for maintenance of the roads in the precinct during the next county fiscal year;

(3) the number of traffic control devices in the precinct defaced or torn down;

(4) any new road that should be opened in the precinct; and

(5) any bridges, culverts, or other improvements necessary to place the roads in the precinct in good condition, and the probable cost of the improvements.

(b) The report shall be entered in the minutes of the commissioners court to be considered in improving





Road Number	Length	Surface	Bridges	Culverts	Comments
302	3.1 miles	Seal-coat	0	6	Deteriorating - bad sections
302-A	0.2	Seal-coat	0	1	
304	4.85	Gravel	0	13	Developing area - high traffic count
304-A	0.6	Gravel	0	1	
305	1.8	Seal-coat	0	3	High traffic count - just north of Rockdale
306	3.2	Seal-coat	0	7	High traffic count - just west of Rockdale
307	1.1	Seal-coat & gravel	0	2	Developing area
308	0.5	Seal-coat	0	2	Subdivision
308-A	0.7	Seal-coat	0	2	Subdivision
310	0.5	Gravel	0	1	
311	0.3	Seal-coat	0	2	Subdivision
312	1.7	Gravel	0	4	
313	6.5	Seal-coat & gravel	0	7	
313-A	3.6	Gravel	0	4	
313-B	1.0	Slag	0	1	
313-C	0.3	Slag	0	2	
314	9.8	Gravel & seal-coat	0	23	
314-A	0.2	Gravel	0	2	
314-B	0.1	Gravel	0	2	
315	2.0	Gravel	0	3	
316	2.4	Recycled asphalt	0	2	
316-A	1.5	Gravel	0	2	
317	0.8	Gravel	0	2	
418	2.8	Gravel	0	4	
418-C	0.8	Gravel	0	2	
419	1.4	Gravel	0	4	
420	1.6	Gravel	0	4	
421	3.7	Gravel	0	6	
421-A	0.2	Seal-coat	0	1	In San Gabriel
422	1.1	Gravel	0	2	
428	2.8	Seal-coat	1	4	Replace bridge & resurfacing

Road Number	Length	Surface	Bridges	Culverts	Comments
429	3.0	Gravel	1	2	Bridge replaced in 2004
430	3.8	Gravel	0	6	
431	0.85	Gravel	0	4	
432	4.3	Gravel	0	6	
434	6.5	Seal-coat	0	12	
436	0.4	Gravel	0	3	
437	2.0	Seal-coat	0	7	
438	1.9	Gravel	0	2	
439	2.4	Gravel	0	5	
440	5.4	Seal-coat & Gravel	3	8	Brushy Creek bridge replaced in 2001- Relief bridges need replacing
442	2.0	Gravel	0	7	
443	8.5	Seal-coat & Gravel	2	11	Brushy Creek bridge replaced in 2002, Turkey Creek bridge replaced in 2000.
446	8.1	Seal-coat	0	17	
448	8.5	Seal-coat & Gravel	0	11	
448-A	0.5	Gravel	0	1	
449	4.0	Seal-coat & Gravel	0	5	1.0 miles seal-coated
449-A	0.6	Gravel	0	2	
450	4.0	Seal-coated	0	8	
451	0.5	Gravel	0	1	
452	0.7	Gravel	0	1	
454	4.7	Seal-coat & Gravel	0	8	
455	10.6	Seal-coat	0	15	
456	2.1	Gravel	0	3	
457	4.3	Seal-coat & Gravel	0	6	
458	2.2	Seal-coat	0	6	
458-A	3.1	Seal-coat	0	6	Seal-coated in 8-06

Road Number	Length	Surface	Bridges	Culverts	Comments
459	1.7 miles	Gravel	0	4	
480	1.9	Gravel	0	3	
461	0.4	Seal-coat	0	2	
470	0.35	Gravel	0	1	
Griffith Lane	0.5	Gravel	0	2	
Bush Road	0.9	Seal-coat	0	3	
Perry Lane	1.1	Gravel	0	2	
Cumley Lane	1.2	Gravel	0	3	
Jost Lane	0.6	Seal-coat	0	2	
Champions Drive	0.55	Seal-coat	0	1	
Praesel Addition	2.45	Seal-coat	0	22	
Russel Addition	0.4	Seal-coat	0	2	
Cypress Trail	2.2	Seal-coat	0	5	
Western Hills	1.5	Seal-coat	0	5	
Oak Park Addition	1.45	Seal-coat	0	5	
Rockdale West	0.7	Seal-coat	0	4	
Boyd Addition	0.2	Seal-coat	0	2	
Elm Creek Estates	0.85	Seal-coat	0	2	
Gabriel's Crossing Addition	0.5	Seal-coat	0	5	Total Miles - 177.25

Motion by Commissioner Jacks, seconded by Commissioner Hollas to approve the Utility Installation Request by Gause Water Supply Corporation to place a water line within the right-of-way of CR 347 Loop located in Commissioner Precinct No. 3 as presented. This motion having been put to vote prevailed, the vote being unanimous.