

COUNTY OF Milam

PRECINCT NO. 1

ANNUAL ROAD REPORT

1. Condition of each road culvert, and bridge in the precinct:
See attached report

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
\$850,000.00

3. Number of traffic control devices in the precinct defaced or torn down: 3090

4. Any new roads that should be opened in the precinct: yes


5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 4 Bridges need to be replaced and several culverts need to be replaced or put in and several miles of road need to be gravelled. at this time no estimate has been made.

Submitted by the undersigned on this _____ day of _____, 2009

George Jones
Commissioner, Precinct 1

Subscribed and sworn to, before me, the undersigned authority, this 10th day of September 2009.

Judy Kopriwa
Notary Public



My commission expires: 9/22/2011

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year- Section 251.005, Transportation Code)

MILAM COUNTY PRECINCT 1		2009		Page 1	
Road Number	Length/Surface	Bridges	Culverts	Comments	
100	0.2 Gravel		Yes	Good	
101	1.1 Gravel		Yes	Needs gravel in places.	
102	2.5 Gravel		Yes	Needs gravel	
103	1.7 Gravel		Yes	Road needs culvert replaced and needs gravel.	
104	7.9 Gravel/Sealcoat	Yes	Yes	Road was brush cut and graveled and 2 culverts replaced	
104 Loop	0.6 Gravel		Yes	Needs some gravel	
104 A	7.5 Gravel		Yes	Road needs to be reworked and graveled.	
104 B	0.3 Gravel		Yes	Road needs some gravel.	
104 C	0.5 Gravel		Yes	Good	
105	0.9 Gravel		Yes	Road needs some gravel and ditches cleaned.	
106	1.2 Gravel	Yes	Yes	Road is in good shape.	
107	0.5 Gravel		Yes	Good	
108	1.1 Gravel		Yes	Applied some gravel but still needs more.	
108 A	0.7 Gravel		Yes	Needs gravel.	
109	1.9 Gravel		Yes	Tree line cleared but still needs gravel.	
110	1.3 Gravel		Yes	Road needs gravel.	
111	0.7 Gravel		Yes	Needs trees trimmed.	
112	4.6 Gravel		Yes	Road brush cut and some gravel hauled but still needs more.	
112 A	0.5 Gravel		Yes	Needs ditch work	
112 B	0.4 Gravel		Yes	Good	
113	1.1 Gravel		Yes	Ditches were cleaned and gravel applied.	
114	2.1 Gravel		Yes	Ditches were cut and some gravel applied.	
115	2.8 Gravel		Yes	Ditches were cut and some gravel applied.	
116	6.1 Gravel	Yes	Yes	Ditches cut and gravel applied	
116 A	0.9 Gravel		Yes	Ditches cut but still needs some gravel.	
117	1.4 Gravel		Yes	Ditches cut but still needs some gravel.	
118	1.4 Gravel		Yes	Road needs some gravel.	
118 A	0.7 Gravel		Yes	Good	
119	2.8 Gravel	Yes	Yes	Needs some gravel.	
120	3.5 Gravel	Yes	Yes	Road needs bridge replaced, and needs gravel.	
122	0.8 Gravel/Sealcoat		Yes	Good	
123	0.5 Gravel		Yes	Good	
124	0.8 Gravel		Yes	Good	
125	0.6 Sealcoat		Yes	Needs patching.	
126	0.4 Gravel		Yes	Trees were cleared and gravel applied.	

217 A	0.2 Gravel				Good
218	2.5 Gravel	Yes	Yes	Brush was cut, gravel applied, but needs more gravel.	
218 A	0.3 Gravel		Yes	Good	
219	2.1 Gravel		Yes	Good	
220	1.3 Gravel		Yes	Good	
221	0.7 Gravel/Sealcoat		Yes	Good	
222	1.1 Gravel		Yes	Brush was cut but still needs culvert replaced and gravel.	
223	0.9 Sealcoat		Yes	Good	
230	4.1 Gravel	Yes	Yes	Needs 2 bridges replaced, culverts replaced.	
230 A	0.4 Gravel		Yes	Needs gravel.	
232	3.4 Gravel		Yes	Good	
232 Loop	1.8 Gravel/Sealcoat		Yes	Good	
232 A	0.6 Gravel		Yes	Needs spots graveled.	
232 B	0.5 Gravel		Yes	Needs gravel.	
233	1.2 Gravel		Yes	Gravel applied.	
235	4.4 Gravel	Yes	Yes	Needs culverts replaced.	
235 B	0.3 Gravel		Yes	Good	
235 C	0.6 Gravel		Yes	Good	
303	1.3 Gravel		Yes	Good	
309	0.8 Gravel			Trees were trimmed, and road is in good shape.	
384	0.6 Gravel			Good	
401	1.2 Gravel		Yes	Ditches were cut, trees trimmed, culvert installed, and gravel applied.	
402	3.4 Gravel/Sealcoat	Yes	Yes	Good	
402 A	0.4 Gravel		Yes	Needs gravel	
403	1.9 Gravel		Yes	Road needs gravel.	
404	0.3 Gravel		Yes	Good	
404 Loop	3.2 Gravel		Yes	Brush was cut, ditches cut, and gravel applied.	
405	3.4 Gravel	Yes	Yes	Needs bridge replaced and gravel.	
406	3.8 Gravel		Yes	Good	
407	2.9 Gravel		Yes	Ditches were cut and some gravel applied.	
408	2.8 Gravel		Yes	Needs gravel.	
409	1.7 Gravel		Yes	Needs some gravel.	
410	1.8 Gravel/Sealcoat		Yes	Needs gravel.	
410 A	0.3 Gravel			Good	
411	0.9 Gravel			Needs some gravel.	
412	7.8 Gravel	Yes	Yes	Needs gravel.	
412 A	1.2 Gravel		Yes	Good	

412 B	0.2 Gravel			Good
412 C	1.3 Gravel	Yes		Needs gravel.
412 D	0.2 Gravel			Fair
413	1.9 Gravel	Yes		Good
414	3.9 Gravel	Yes		Ditches were cut, culverts installed and gravel applied.
415	1.3 Gravel	Yes		Needs gravel.
416	1.3 Gravel	Yes		Ditches were cut and gravel applied.
417	4.6 Gravel	Yes		Ditches were cut and gravel applied.
418	4.7 Gravel	Yes		Culvert was installed, gravel applied but creek crossing needs to be repaired.
418 A	0.5 Gravel	Yes		Road in fair shape.
418 B	0.6 Gravel	Yes		Good
422	3.1 Gravel	Yes		Needs gravel.
422 A	0.3 Gravel	Yes		Good
423	0.9 Gravel	Yes		Road in good shape.
424	1.1 Gravel	Yes		Road needs to be built up more over culvert and needs gravel.
426	1.2 Gravel	Yes		Good
429	2.2 Gravel	Yes	Yes	Road needs trees trimmed, and needs gravel.
470	0.6 Gravel	Yes	Yes	Needs some gravel.
Capital Lane	0.9 Gravel	Yes		Good
Village Lane	0.2 Gravel			Good
College Road	0.2 Gravel			Good
Alamo Road	1.2 Sealcoat	Yes		Good
Ben William Road	1.1 Sealcoat	Yes		Good
Laughlin Road	0.6 Gravel	Yes		Good
Goetz Road	0.9 Sealcoat	Yes		Good
Goetz Road A	0.1 Sealcoat	Yes		Good
Cedar Grove Road	0.5 Sealcoat	Yes		Good
Briar Lane	0.6 Sealcoat	Yes		Needs patching.
Woods Lane	0.1 Sealcoat	Yes		Good
Los Torrenos	0.9 Gravel	Yes		Good
Los Ranchitos	1.5 Gravel	Yes		Needs some gravel.
Refinery Road	0.2 Gravel	Yes		Good
River Ridge Drive	1.2 Sealcoat	Yes		Good
Old Tressle Road	0.9 Sealcoat	Yes		Good
Oak Hill Road	0.4 Sealcoat	Yes		Good
Hidden Oak Road	0.2 Sealcoat	Yes		Good
Twin Lake Road	0.15 Sealcoat	Yes		Good

COUNTY OF Milam

PRECINCT NO. 2

ANNUAL ROAD REPORT

1. Condition of each road culvert, and bridge in the precinct:
See Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
\$ 800,000 ~~xx~~
3. Number of traffic control devices in the precinct defaced or torn down: 40%
4. Any new roads that should be opened in the precinct: No
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: 3 wooden bridges need to be replaced & many roads need regravelling

Submitted by the undersigned on this 24th day of September, 2009.

Kenneth Hollen
Commissioner, Precinct 2

Subscribed and sworn to, before me, the undersigned authority, this 24th day of September, 2009.

Judy Kopriwa
Notary Public



My commission expires: 9/22/2011

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Precinct 2 Surface	Road Report Bridges	Culverts	September 1, 2008- August 31, 2009 Comments	Page 1
132	0.5	Gravel	1 Steel		1 Needs gravel. Applied 240 yds. Of gravel.	
133W	8.6	Gravel			22 Needs gravel. Applied 1500 yds. of gravel.	
133E	1.1	Gravel	2 Steel		1 Needs gravel.	
133A	0.3	Gravel			2 Needs gravel.	
133B	0.1	Gravel			2 Needs gravel.	
133C	0.5	Gravel			2 Needs gravel. Applied 52 yds. of gravel.	
134W	2.8	Gravel			5	
134E	1.4	Gravel			4 Needs gravel. Applied 64 yds. of gravel.	
134A	0.8	Gravel			3 Needs gravel. Applied 340 yds. of gravel.	
134B	0.3	Gravel			1 Needs gravel.	
135	3.3	Gravel			14 Needs gravel. Applied 889 yds. of gravel.	
135A	0.2	Gravel			1 Needs gravel. Applied 24 yds. of gravel.	
136	3.5	Gravel			10 Needs gravel. Applied 2796 yds. of gravel.	
136A	0.4	Gravel			2 Needs gravel. Applied 552 yds. of gravel.	
137	2.3	Gravel			8 Needs gravel. Applied 20 yds. Of gravel. Needs 4 culverts	
137A	0.3	Gravel			Needs gravel.	
138	1.9	Gravel			2 Needs Gravel.	
139 Loop	4.6	Gravel			8 Needs gravel. Applied 840 yds. of gravel. Needs 4- 48" culverts.	
139	2.4	Gravel			14 Needs gravel. Applied 592 yds. of gravel.	
139A	0.1	Gravel			1 Needs gravel. Applied 84 yds. of gravel.	
140	3.1	Sealcoat	1 Steel&concrete		8 Needs headwall on 2 culverts and needs resealed	
140A	0.4	Gravel			1 Needs gravel. Applied 12 yds. of gravel.	
142	0.5	Gravel			5 Cleaned ditches and applied 1280 yds. of gravel.	
142A	0.5	Gravel			2 Needs gravel.	
225	0.7	Gravel			1	
226	1.6	Gravel			6 Needs gravel. Ditches need cleaning.	
226A	0.3	Gravel			Needs gravel.	
227	4.4	Sealcoat	1 Steel&concrete		24 Needs to be resealed.	
228	1.7	Sealcoat			4 Needs to be resealed and patched.	
228A	0.4	Gravel			Needs gravel.	
228B	0.5	Gravel			Needs gravel.	
228C	1.2	Gravel			2 Needs gravel. Applied 1108 yds. of gravel.	
229	3.3	Sealcoat	2.0 Gravel 1.3		9 Needs patching and resealed. Applied 240 yds. of gravel.	
229A	0.3	Gravel			Good road	
231	0.8	Sealcoat 4 Gravel 4			3 Needs patching.	
237A	0.1	Sand			Railroad approach	

263	1.2 Gravel		5 Needs gravel. Applied 256 yds. of gravel.
263 Loop	0.4 Gravel		1 Needs gravel.
263A	0.4 Gravel		2 Needs gravel. Applied 256 yds. of gravel.
263B	0.2 Gravel		Needs gravel. Applied 12 yds. of gravel.
264A	2.1 Gravel		5
264	4.6 Gravel		13 Needs gravel. Applied 1080 yds. of gravel.
265S	0.9 Gravel		3 Needs gravel.
265N	0.3 Gravel		1 Needs gravel.
265A	0.8 Gravel		3 Needs gravel.
266	1.1 Gravel		2 Needs gravel.
266A	0.2 Gravel		Needs gravel.
267	6.1 Gravel		21 Needs gravel. Applied 1292 yds. of gravel.
268	1.3 Gravel		3 Needs Gravel. Applied 524 yds. of gravel.
269	0.9 Gravel		2 Needs gravel. Applied 340 yds. of gravel.
270	5.7 Gravel	1 Steel	8
270A	0.3 Gravel		Needs gravel. Applied 2028 yds. of gravel.
271	0.6 Gravel		Needs gravel.
271A	0.6 Gravel		3 Needs gravel.
272	1.6 Gravel		2 Needs gravel.
273	4.1 Gravel		6 Needs gravel. Applied 1784 yds. of gravel.
274	0.9 Gravel		1 Needs gravel. Applied 220 yds. of gravel.
274A	1.1 Gravel		3 Needs gravel.
275	3.8 Gravel		11 Needs gravel. Applied 1444 yds. of gravel. Cleared ditches.
276	3.8 Gravel	20x40' Steel/Concrete	7 Needs gravel. Applied 1448 yds. of gravel. Cleared ditches.
276A	1.1 Gravel		2 Needs gravel. Applied 180 yds. of gravel. Cleared ditches.
277	0.7 Gravel	1 Steel&concrete	3 Needs gravel. Applied 376 yds. of gravel. Cleared ditches.
278	6.7 Gravel	Concrete	12 Needs gravel. Applied 1788 yds. of gravel. Cleared ditches.
278A	2.1 Gravel	1 Steel	Needs gravel. Applied 100 yds. of gravel. Cleared ditches.
279	2.6 Gravel	1 Steel	5 Needs gravel.
Back Woods	1.1 Gravel		Needs gravel.
Rockdale			
300	1.3 Gravel		Needs gravel.
301	1.1 Gravel		Needs gravel.
303A	1.1 Paved		1
303B	0.3 Gravel		Needs gravel.
333	0.9 Gravel		1 Belton Street, Sealcoated 8-06
335	3.3 Sealcoat	1.4 Gravel 1.9	3 Sandy
Northwood Dr	0.1 Sealcoat		Needs resealing

COUNTY OF Milam

PRECINCT NO. 3


ANNUAL ROAD REPORT

1. Condition of each road culvert, and bridge in the precinct:
Attached
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year:
1,250,000
3. Number of traffic control devices in the precinct defaced or torn down: 81
4. Any new roads that should be opened in the precinct: NO
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: Attached

Submitted by the undersigned on this 28th day of September, 2009.

Dale Jacobs
Commissioner, Precinct 3

Subscribed and sworn to, before me, the undersigned authority, this 28 day of Sept. 2009



Lydia Cervantes
Notary Public

Lydia Cervantes
My commission expires: 9-14-12

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year- Section 251.005, Transportation Code)

Road Number	Length	Surface	Brigades	Curves	Comments
234	7.1	1:5 Paved	2	8	New Pave, 2006 - No Load Limit on Brigades - Culverts good/fair
234L	1.3	5:6 Gravel	0	2	Needs gravel & culverts in spots
236	3.4	Gravel	0	0	All New Culverts, S 1 RL PAVK Pav
236A	0.7	Gravel	0	0	Need 1 small culvert -
237	4.9	Gravel	1	5	New gravel 2007 Mostly good gravel - Culverts New 1 36" drop culvert needs replacement - East end
239	3.1	Gravel	0	7	Replacement - East end
264	3.0	Gravel	1	2	New 260' Old Brigades over little levers - New Culvert 2005 for 1.7 mile
218	1.1	Gravel	0	4	Approved report to be put together by ATC All Culverts New Culverts Paved 2009
219	2.1	Gravel	0	2	Culverts good Gravel New
220	4.2	Gravel	0	6	Added 8 ft metal Culvert at Pegasus Creek - other culverts to be replaced
221	0.8	Gravel	0	0	Low traffic. Replaced Culverts Paved 2 miles
222	9.5	Pave/gravel	0	20	Replaced Culvert with 8 TRAK with hydraulic - 2005 - STAIR CASE
222A	1.0	paved	0	2	New Culverts Paved approx 2001
223	4.1	gravel	0	8	All Culverts good - 2 road
224	1.2	Gravel	0	3	Extend
225	2.7	Gravel	0	7	All Culverts good shape Paved 2009
226	3.1	Gravel	0	7	All New 2 need rep.

Road Number	Length	Surface	Drainage	Curbs	Comments
327A	0.5	Gravel	0	2	New Culverts & Gravel
328	6.1	Gravel	0	9	All New Culverts - Put in metal culverts & headwalls 2 spots that had culverts
329	2.4	95% Paved 5% Gravel	0	9	All in good shape
330	7.3	Gravel	0	10	All New except 1 weed's trap
331	2.0	Gravel	0	4	Apply 2 mile from KR - Installed 2 metal Culverts ALL Fair
331A	2.0	Gravel	0	3	4 good culverts
331B	1.0	Gravel	0	2	3 good culverts
331C	0.7	Gravel	0	0	
333	1.9	50% PAVED	0	3	One culvert Need to Be Replaced Near 333
334	4.2	60% PAVED	0	9	Replaced Near 333 - All good Culverts
335	1.2	40% Gravel PAVED	0	0	
336	2.3	Gravel	0	4	Culverts are All good
336A	2.0	PAVED-60% Gravel	0	0	
337	2.0	Gravel	0	4	All Good
339	4.2	Gravel	0	4	All Good
340	2.6	Gravel	0	4	All Good
340A	7.1	Gravel	3	0	All Good

Road Number	Length	Surface	Drainage	Culverts	Comments
341	2.0	gravel	0	1	good culvert
342	15.1	Gravel	0	17	14 good 3 Fair To Poor
343	5.1	Gravel	1	8	ALL good New Bridge 2015/Trunkcan 2004
344	3.4	Gravel	0	8	All good
346	2.6	Gravel	0	3	
348	2.2	Gravel	0	4	Good
349	2.6	Gravel	0	6	ALL New - to have into 2008 Exclp of Paved 2008
350	0.4	Gravel	0	0	
351	1.2	Gravel	0	1	good Culvert
352	2.0	Gravel	0	2	good Culvert
353	1.0	Gravel	0	1	good Culvert
353	12.3	Gravel	9	15	No Lead Curbs - 2 Concrete/Steel Bridges 3 RR Trunkcan with Lead wheels
355A	0.3	Gravel	0	0	
355B	0.3	Gravel	0	0	
355 Loop	2.8	Gravel	0	4	good culverts / needs 5' curbs
356	1.7	Gravel	0	2	good culverts
357	1.2	Gravel	0	2	Needs more ROW
357A	0.4	Paved	0	0	Old 79

Page 5 of 5

Good Number	Length	Surface	Bridges	Culverts	Comments
358	8.1	1.0 Paved	2	7	Culverts good / Bridges All
359	2.3	7.1 Gravel	0	3	All metal Culverts No left limits
360	0.9	Gravel	0	3	Culverts Fair
362	0.6	Gravel	0	1	New culverts
364	7.2	Gravel	0	8	New / New in Pt 2
372	1.0	Gravel	0	2	Culverts good
373	1.0	Gravel	0	0	Culverts good
374	1.2	Gravel	0	2	1 Fair culvert / small culvert
375	0.9	Gravel	0	1	Needs replace
378	0.4	Gravel	0	0	good
380	1.2	Gravel	0	4	good
381	0.8	Gravel	0	1	good
383	0.6	Gravel	0	1	Fair Gravel / New gravel 2007
Ammonsump	0.7	Gravel	0	1	small metal pipe
Silvergrunk	1.3	Gravel	0	3	2 Fair / New
Redview	2.1	Paved	0	4	All good shapes / New Suburban

COUNTY OF MILAM
PRECINCT NO. 4

§
§
§

ANNUAL ROAD REPORT


1. Condition of each road, culvert and bridge in the precinct:
LIST OF ROADS & COMMENTS ATTACHED
2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$850,000
3. Number of traffic control devices in the precinct defaced or torn down: 31
4. Any new road that should be opened in the precinct: NONE
5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and probable cost of the improvements: REPLACE BRUSHY CREEK RELIEF BRIDGES ON C.R. 440 & SAN GABRIEL RIVER BRIDGE ON C.R. 428 (\$350,000)

Submitted by the undersigned on this 9th day of SEPTEMBER 2009

Buck Rowenberry
Commissioner, Precinct 4

Subscribed and sworn to, before me, the undersigned authority, this 9th day of September, 2009.

Judy Kopriva
Notary Public



My commission expires: 9/22/2011

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

(File in minutes and submit to grand jury with a copy of any road work contracts for past year during ninth month of county fiscal year-Section 251.005, Trans. Code)

VOL. 53 PAGE 260
MINUTES COMMISSIONERS COURT
MILAM COUNTY, TEXAS

Road Number	Length	Surface	Bridges	Culverts	Comments
302	3.1 miles	Seal-coat	0	6	Deteriorating - bad sections
302-A	0.2	Seal-coat	0	1	Repaired 144" culvert
304	4.85	Gravel	0	13	Developing area - high traffic count
304-A	0.6	Gravel	0	1	
305	1.8	Seal-coat	0	3	High traffic count - just north of Rockdale
306	3.2	Seal-coat	0	7	High traffic count - just west of Rockdale
307	1.1	Seal-coat & gravel	0	2	Developing area
308	0.5	Seal-coat	0	2	Subdivision
308-A	0.7	Seal-coat	0	2	Subdivision
310	0.5	Gravel	0	1	Subdivision
311	0.3	Seal-coat	0	2	Subdivision
312	1.7	Gravel	0	4	
313	6.5	Seal-coat & gravel	0	7	
313-A	3.6	Gravel	0	4	
313-B	1.0	Slag	0	1	
313-C	0.3	Slag	0	2	
314	9.8	Gravel & seal-coat	0	23	
314-A	0.2	Gravel	0	2	
314-B	0.1	Gravel	0	2	
315	2.0	Gravel	0	3	
316	2.4	Recycled asphalt	0	2	
316-A	1.5	Gravel	0	2	
317	0.8	Gravel	0	2	
418	2.8	Gravel	0	4	
418-C	0.8	Gravel	0	2	
419	1.4	Gravel	0	4	
420	1.6	Gravel	0	4	
421	3.7	Gravel	0	6	
421-A	0.2	Seal-coat	0	1	In San Gabriel
422	1.1	Gravel	0	2	
428	2.8	Seal-coat	1	4	Replace bridge & resurfacing

APPROVED ENVIRONMENTAL II TO 2 MILES WEST OF HIGHWAY 777

Repaired 78" culvert

Repaired 144" culvert 08/09

Road Number	Length	Surface	Bridges	Culverts	Comments
429	3.0	Gravel	1	2	
430	3.8	Gravel	0	6	Bridge replaced in 2004
431	0.85	Gravel	0	4	
432	4.3	Gravel	0	6	
434	6.5	Seal-coat	0	12	
436	0.4 0.6	Gravel	0	3	
437	2.0	Seal-coat	0	7	
438	1.9	Gravel	0	2	
439	2.4	Gravel	0	5	
440	5.4	Seal-coat & Gravel	3	8	Brushy Creek bridge replaced in 2001 - Relief bridges need replacing
442	2.0	Gravel	0	7	
443	8.5	Seal-coat & Gravel	2	11	REPLACED 12 FT. CULVERT 6-07 Brushy Creek bridge replaced in 2002, Turkey Creek bridge replaced in 2000.
446	8.1	Seal-coat	0	17	
448	8.5	Seal-coat & Gravel	0	11	
448-A	0.5	Gravel	0	1	
449	4.0	Seal-coat & Gravel	0	5	1.0 miles seal-coated
449-A	0.6	Gravel	0	2	
450	4.0	Seal-coated	0	8	
451	0.5	Gravel	0	1	
452	0.7	Gravel	0	1	
454	4.7	Seal-coat & Gravel	0	8	
455	10.6	Seal-coat	0	15	
456	2.1	Gravel	0	3	REPLACED 48" CULVERTS 06/09
457	4.3	Seal-coat & Gravel	0	6	
458	2.2	Seal-coat	0	6	
458-A	3.1	Seal-coat	0	6	Seal-coated in 8-06

447 3.3
446-A 0.4

Road Number	Length	Surface	Bridges	Culverts	Comments
459	1.7 miles	Gravel	0	4	
460	1.9	Gravel	0	3	
461	0.4	Seal-coat	0	2	
470	0.35	Gravel	0	1	
Griffith Lane	0.5	Gravel	0	2	
Bush Road	0.9	Seal-coat	0	3	
Perry Lane	1.1	Gravel	0	2	
Cumley Lane	1.2	Gravel	0	3	
Jost Lane	0.6	Seal-coat	0	2	
Champions Drive	0.55	Seal-coat	0	1	
Prassel Addition	2.45	Seal-coat	0	22	
Russel Addition	0.4	Seal-coat	0	2	
Cypress Trail	2.2	Seal-coat	0	5	
Western Hills	1.5	Seal-coat	0	5	
Oak Park Addition	1.45	Seal-coat	0	5	
Rockdale West	0.7	Seal-coat	0	4	
Boyd Addition	0.2	Seal-coat	0	2	
Elm Creek Estates	0.85	Seal-coat	0	2	
Gabriel's Crossing Addition	0.5	Seal-coat	0	5	
All Day St.	0.5				Total Miles -- 177.25

Beverly Dr. 0.5
SANDWAL RD 0.5