

COUNTY OF MILAM §

PRECINCT NO. 2 §

ANNUAL ROAD REPORT

1. Condition of each road, culvert, and bridge in the precinct and the primary cause of any road, culvert or bridge degradation: See Attached Forms.

2. Amount of money necessary for maintenance of the precinct roads during the next fiscal year: \$ 460,000 ⁰⁰/₁₀₀

3. Number of traffic control devices in the precinct defaced or torn down: 209

4. Any new road that should be opened in the precinct: None

5. Any bridges, culverts, or other improvements necessary to place the precinct roads in good condition, and the probable cost of the improvements: \$ 233,000 ⁰⁰/₁₀₀


Submitted by the undersigned on this 20th day of September 2016.

Commissioner Donald Shuffield Precinct # 2

Signature: Donald Shuffield

Subscribed and sworn to, before me, the undersigned authority, this 20th day of September 2016.

Denise Wallace
Notary Public



Printed Name: Denise Wallace

My Commission Expires: 11-10-18

MILAM COUNTY PCT.2 ROAD REPORT
 SEPTEMBER 1,2015 - AUGUST 31, 2016

Road Number	Length	Surface	Culverts	Bridges	Comments
132	0.5	GRAVEL	1	1 STEEL	NEEDS GRAVEL
133W	8.6	GRAVEL	23	CONCRETE	APPLIED 464.20 TONS OF GRAVEL
133E	1.1	GRAVEL	1		APPLIED 250.48 TONS OF GRAVEL
133A	0.3	GRAVEL	2		APPLIED 102.85 TONS OF GRAVEL
133B	0.1	GRAVEL	2		APPLIED 104.54 TONS OF GRAVEL
133C	0.5	GRAVEL	2		APPLIED 129.89 TONS OF GRAVEL
134W	2.8	GRAVEL	5		APPLIED 689.52 TONS OF GRAVEL
134E	1.4	GRAVEL	4		GOOD
134A	0.8	GRAVEL	3		APPLIED 102.41 TONS OF GRAV
134B	0.3	GRAVEL	1		
135	3.3	GRAVEL	14		APPLIED 269.15 TONS OF GRAVEL
135A	0.2	GRAVEL	1		NEEDS GRAVEL
136	3.5	GRAVEL	10		ROAD CLOSED. NEEDS LOW-WATER CROSSING
136A	0.4	GRAVEL	2		NEEDS GRAVEL
137	2.3	GRAVEL	8		APPLIED 38.25 TONS OF GRAVEL
137A	0.3	GRAVEL			
138	1.9	GRAVEL			APPLIED 199.08 TONS OF GRAVEL
139 LOOP	4.6	GRAVEL	7		APPLIED 259.20 TONS OF GRAVEL. BASE 12.12 TONS
139	2.4	GRAVEL	13		APPLIED 47.93 TONS OF GRAVEL
139A	0.1	GRAVEL	1		NEEDS GRAVEL
140	3.1	SEALCOATT	9	1 CONCRETE	ADDED 1 CULVERT.
140A	0.4	GRAVEL	1		
142	0.5	GRAVEL	2		REPLACED 1 CULVERT. APPLIED 43.70 TONS OF GRAVEL.
225	0.7	GRAVEL	1		APPLIED 14.37 TONS OF GRAVEL.
226	1.6	GRAVEL	4		REPLACED 1 CULVERT. APPLIED 43.70 TONS OF GRAVEL.
226A	0.3	GRAVEL	1		COLD-MIX 45.04
227	4.4	SEALCOAT	24	1 CONCRETE	COLD-MIX 318.15
228	1.7	SEALCOAT	4		APPLIED 507.15 TONS OF GRAVEL.
228A	0.4	GRAVEL	1		REPLACED 1 CULVERT. APPLIED 70.59 TONS OF GRAVEL. NEEDS GRAVEL.
228B	0.5	GRAVEL	3		NEEDS GRAVEL.
228C	1.2	GRAVEL	2		NEEDS GRAVEL.
229	2.0	SEALCOAT	9		NEEDS TO BE RESEALED.
231	0.4	SEALCOAT	2		FAIR
	0.4	GRAVEL	1		FAIR
237A	0.1	SAND			NEEDS GRAVEL.

VOL. 80 PAGE 557
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

MILAM COUNTY PCT.2 ROAD REPORT
 SEPTEMBER 1,2015 - AUGUST 31,2016

Road Number	Length	Surface	Culverts	Bridges	Comments
BURLINGTON					
238 Loop	0.4	GRAVEL	1		PUT MAG. CHLORIDE. 26.16 TONS. GOOD
238A	1.1	GRAVEL	4		PUT MAG. CHLORIDE. GOOD
238B	0.5	SEAL COAT	3		GOOD.
238C	2.3	GRAVEL	2		PUT MAG. CHLORIDE. GOOD
238	1.6	GRAVEL	6		PUT MAG. CHLORIDE. GOOD
240	2.9	SEAL COAT	6	1 CONCRETE	NEEDS TO BE RESEALED.
240A	0.5	GRAVEL	2		NEEDS GRAVEL.
241	2.4	GRAVEL	4		GOOD.
241A	0.6	GRAVEL	3		NEEDS GRAVEL.
241B	0.2	GRAVEL	1		NEEDS 1 CULVERT REPLACED. NEEDS GRAVEL.
242	1.9	GRAVEL	4		PUT MAG. CHLORIDE. NEEDS GRAVEL.
242A	0.3	GRAVEL	1		
244	1.4	GRAVEL	4		PUT MAG. CHLORIDE. 41.58 TONS. GOOD
244A	0.5	SAND			
245	0.9	GRAVEL	2		GOOD
245A	0.2	GRAVEL		RRTANKCAR	FAIR
246	0.3	GRAVEL			GOOD
247	1.4	GRAVEL	2		GOOD
248	1.4	GRAVEL	2		GOOD
249	7.1	GRAVEL	16		REPLACED 1 CULVERT. APPLIED 152.65 TONS OF GRAVEL.
249A	0.4	SEAL COAT	2		GOOD
250	1.2	SEAL COAT	7		NEEDS RESEALED.
	1.7	GRAVEL			GRAVEL - FAIR
250 Loop	5.8	GRAVEL	8	LOW WATER	APPLIED 223.44 TONS OF GRAVEL
250A	0.2	GRAVEL			NEEDS GRAVEL.
251	0.3	GRAVEL	1		NEEDS GRAVEL.
252	1.3	GRAVEL	2		GOOD
253	0.6	GRAVEL	1		PUT MAG. CHLORIDE. GOOD
254N	1.3	GRAVEL	3		PUT MAG. CHLORIDE. APPLIED 169.50 TONS. GOOD
254S	1.5	GRAVEL	2		NEEDS GRAVEL
255 Loop	2.5	GRAVEL	7	1 STEEL BRIDGE	APPLIED 98.18 TONS OF GRAVEL. NEEDS GRAVEL.
255N	2.5	GRAVEL	3		APPLIED 176.64 TONS OF GRAVEL.
255E	3.3	GRAVEL	7	WOODEN BRIDGE	APPLIED 27.97 TONS OF GRAVEL.
255A	0.2	GRAVEL			NEEDS GRAVEL
256	0.6	GRAVEL	2		NEEDS GRAVEL

VOL. 80 PAGE 558
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

Road Number	Length	Surface	Culverts	Bridges	Comments
257	1.3	GRAVEL	2		GOOD
258	6.4	GRAVEL	11	WOODEN BRIDGE	BRIDGE NEEDS TO BE REPAIRED BADLY.
259	9.8	GRAVEL	17	1 CONCRETE BRIDGE	REPLACED 1 CULVERT. APPLIED 98.70 TONS OF GRAVEL.
			6 CEMENT CULVERTS		FAIR
259A	0.1	GRAVEL			GOOD
260	0.9	GRAVEL	3		NEEDS GRAVEL DUE FROM DEGRADATION FROM OIL/GAS TRAFFIC.
262	0.6	GRAVEL	2		GOOD
263	1.2	GRAVEL	5		REPLACED 1 CULVERT. APPLIED 67.56 TONS OF GRAVEL.
263Loop	0.4	GRAVEL	1		GOOD
263A	0.4	GRAVEL	2		FAIR
263B	0.2	GRAVEL			FAIR
264A	2.1	GRAVEL	5		REPLACED 1 CULVERT. APPLIED 97.49 TONS OF GRAVEL.
263B	0.2	GRAVEL			FAIR
264A	2.1	GRAVEL	5		REPLACED 1 CULVERT. APPLIED 97.49 TONS OF GRAVEL.
264	4.6	GRAVEL	13		APPLIED 475.63 TONS OF GRAVEL. BASE 91.61
265S	0.9	GRAVEL	3		GOOD
265N	0.3	GRAVEL			GOOD
265A	0.8	GRAVEL	3		GOOD
266	1.1	GRAVEL	2		FAIR
266A	0.2	GRAVEL			GOOD
267	6.1	GRAVEL	24	WOODEN BRIDGE	REPLACED 1 CULVERT. APPLIED 292.38 TONS OF GRAVEL.
					BRIDGE OUT. NEEDS NEW BRIDGE.
268	1.3	GRAVEL	5		REPLACED 1 CULVERT. APPLIED 98.14 TONS OF GRAVEL.
269	0.9	GRAVEL	2		GOOD
270	5.7	GRAVEL	9	1 STEEL BRIDGE	REPLACED 1 CULVERT. APPLIED 75.40 TONS OF GRAVEL. NEEDS GRAVEL
270A	0.3	GRAVEL	2		NEEDS GRAVEL.
271	0.6	GRAVEL	2		NEEDS GRAVEL.
271A	0.6	GRAVEL	3		NEEDS GRAVEL.
272	1.6	GRAVEL	2		FAIR
273	4.1	GRAVEL	6	1 WOODEN BRIDGE	REPLACED 1 CULVERT. APPLIED 181.31 GRAVEL BASE 23.79
274	0.9	GRAVEL	3	2 CONCRETE BRIDGES	
274A	1.1	GRAVEL	4		FAIR
275	3.8	GRAVEL	12		ADDED 1 CULVERT. APPLIED 142.40 TONS OF GRAVEL.
275A	1.0	GRAVEL			
276	3.8	GRAVEL	7	1 STEEL & 1 CONCRETE	APPLIED 51.68 TONS OF GRAVEL.
276A	1.1	GRAVEL	2		FAIR

VOL. 80 PAGE 359
 MINUTES COMMISSIONERS COURT
 MILAM COUNTY, TEXAS

Road Number	Length	Surface	Culverts	Bridges	Comments
277	0.7	GRAVEL	2	RR TANKCAR	GOOD
278	6.7	GRAVEL	12	1 STEEL BRIDGE	APPLIED 158.71 TONS OF GRAVEL.
278A	2.1	GRAVEL	1		FAIR
279	2.6	GRAVEL	5		FAIR
BACK WOODS	1.1	GRAVEL	2		NEEDS GRAVEL.
ROCKDALE					NEEDS GRAVEL.
300	1.3	GRAVEL			NEEDS GRAVEL.
301	1.1	GRAVEL	1		NEEDS GRAVEL.
303	1.1	SEALCOAT	2	CONCRETE CULVERT 7X7X40	BASE 138.82 OVERSIZE ROCK 84.84 COLD MIX 203.37
303A	0.8	SEALCOAT	2		
303B	0.3	GRAVEL			NEEDS GRAVEL.
333	0.9	GRAVEL			GOOD
335	1.4	SEALCOAT	8		APPLIED COLD MIX 498.68
	1.9	GRAVEL			PUT MAG. CHLORIDE 74.39 APPLIED 52.44 TONS OF GRAVEL.
NORTHWOOD DR.	0.1	SEALCOAT			FAIR
NORTHWOOD CR.	0.6	SEALCOAT			FAIR
MINERVA					GOOD
230A	0.4	GRAVEL			
232	3.4	GRAVEL			GOOD
232 LOOP	1.6	SEALCOAT	3		NEEDS GRAVEL
232A	0.6	GRAVEL	1		PUT MAG. CHLORIDE 24.25
232B	0.5	GRAVEL	2		ADDED 1 CULVERT APPLIED 106.15 TONS OF GRAVEL
233	1.2	GRAVEL	3		
235	4.4	SEALCOAT	18	1 WOODEN BRIDGE	ADDED 5 CULVERTS REPLACED 13 CULVERTS
235B	0.3	GRAVEL			FAIR
235C	0.6	GRAVEL	1		GOOD
309	0.8	GRAVEL	1		FAIR
384	0.6	GRAVEL	1		FAIR
CEDAR GROVE	0.5	SEALCOAT	3		GOOD
BRAIR LANE	0.6	SEALCOAT	3		GOOD
WOODS ROAD	0.1	SEALCOAT			GOOD
LOS TORRENOS	0.9	GRAVEL	1		GOOD
LOS RANCHITOS	1.5	GRAVEL	2		APPLIED 49.06 TONS OF GRAVEL. NEEDS TO BE SEALCOATED.
REFINERY ROAD	0.2	GRAVEL			GOOD
206.50 TOTAL MILES OF ROADS.					

VOL. 80 PAGE 560
 MINUTES COMMISSIONERS COURT
 WILLAM COUNTY, TEXAS